



# SAFETY DATA SHEET

## All Purpose Cleaner

Atoma Chemicals

### 1 Identification of the substance/preparation and of the company/undertaking

Product Name :



Supplier :

**At-o-ma Chemicals**  
**Builder Street West**  
**Llandudno**  
**Conwy**  
**North Wales**  
**LL30 1HH**

EMERGENCY ONLY **0800 to 1600 weekdays**Tel No : **01492 860773**

TELEPHONE NO

Fax No : **01492 870027**

### 2 Composition/information on ingredients

Substance/Preparation :

#### Preparation

Hazardous ingredients \*

	CAS No.	%	EC Number	Symbol	R-Phrases
1) Sodium Hydroxide	1310-73-2	1-10%	215-185-5		R35
NTA38%	5064-31-3		225-768-6		Xi;R36/R38

\* Occupational Exposure Limit(s), if available, are listed in Section 8

**CAS No.** : **Mixture**  
**EINECS Number** : **Mixture**

### 3 Hazard Identification

Human Health Hazard :

**Harmful if swallowed.**  
**Risk of serious damage to eyes.**

### 4 First-Aid Measures

#### First aid measures

- Inhalation** : If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Obtain medical attention.
- Ingestion** : Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband.
- Skin Contact** : In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Obtain medical attention.
- Eye Contact** : In case of contact, immediately flush eyes with a copious amount of water for at least 15 minutes. Obtain medical attention immediately.

## Effects and Symptoms

- Inhalation : Inhalation of the spray mist may produce severe irritation of respiratory tract, characterised by coughing, choking or shortness of breath. Overexposure by inhalation may cause respiratory irritation.
- Ingestion : May be fatal if swallowed. May cause burns to mouth, throat and stomach. Harmful if swallowed.
- Eye Contact : Very hazardous in case of eye contact ( irritant ). Corrosive to eyes. Inflammation of the eye is characterised by redness, watering and itching.
- Aggravating : Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation.
- Conditions Repeated or prolonged exposure to spray mist may produce respiratory tract irritation, leading to frequent attacks of bronchial infection.

## 5 Fire Fighting Measures

### Extinguishing Media

- Suitable : Oxidizing Material  
Do not use water jet. Use flooding quantities of water. Avoid contact with organic materials.
- Special fire-fighting Procedures : Fire fighters should wear self-contained positive pressure breathing apparatus ( SCBA ) and full turnout gear.
- Protection for Fire Fighters : Be sure to use approved/certified respirator or equivalent.

## 6 Accidental release measures

- Personal Precautions : Splash goggles. Protective overalls/suit. Boots. Select appropriate protective clothing for the size of the spillage.
- Environmental precautions and cleanup methods : Corrosive liquid. Oxidizing Material.  
Stop leak if without risk. Absorb with dry earth, sand or other noncombustible material. Do not get water inside container. Avoid contact with combustible material (wood, paper, oil, clothing etc). Keep substance damp using water spray. Do not touch spilled material. Use water spray curtain to divert vapour drift.  
Prevent entry into sewers, basements or confined areas: dike if needed. Eliminate all ignition sources.  
Dispose of according to all federal, state and local applicable regulations.

## 7 Handling and storage

- Handling : Keep containers dry. Keep away from heat. Keep away from sources of ignition. Keep away from combustible material. Empty containers may still contain significant residual amounts of the product. Ground all equipment containing material. Do not ingest. Do not breathe in gas/fumes/vapor/spray. Never add water to this product. Wear suitable protective clothing. If ingested, seek medical advice immediately and show the container or the label.
- Storage : Keep containers tightly closed. Keep containers in a cool well ventilated area. Separate from acids, alkalis, reducing agents and combustibles. Separate from acids, alkalis, reducing agents and combustibles. See NFPA 43A, Code for the Storage of Liquid and Solid Oxidizers.
- Packaging Material
- Recommended use : Use original container.

## 8 Exposure controls/personal protection

- Engineering Measures : Provide exhaust ventilation or other engineering controls to keep airborne concentrations of vapour below their respective threshold limit value. Ensure that eyewash stations and safety showers are close to the

Hygiene Measures

workstation location.

Wash hands, forearms, and face thoroughly after handling compounds and before eating, smoking, using lavatory, and at the end of the day.

<u>Ingredient Name</u>	<u>Workplace Exposure Limits</u>
1 ) NTA 38%	sufficient ventilation

Personal Protective Equipment

Respiratory System	Wear appropriate respirator when ventilation is inadequate.
Skin and body	Protective overalls/suit.
Hands	Impervious gloves.
Eyes	Splash goggles.

**9 Physical and Chemical properties**

Physical State	: Liquid
Colour	: yellow
Odour	: Characteristic odour
Density	: N/A
Solubility	: N/A
pH	: N/A
Flash point	: N/A

**10 Stability and reactivity**

Stability	: The product is stable
-----------	-------------------------

**11 Toxicological information**

Local Effects

Eye irritation	: high
Acute toxicity	: LD50 : Not available
	: LC 50 : Not available
Chronic toxicity	:

**12 Ecological information**

Ecotoxicity	: biodegradable
-------------	-----------------

**13 Disposal considerations**

Methods of disposal;Waste of residues;Contaminated packaging	Waste must be disposed of in accordance with federal, state and local environmental control regulations.
--	--

## 14 Transport information

### International transport regulations

**UN** UN Number :

**UN** Proper shipping name :

**UN** Class :

**UN** Sub Class :

**UN** Packing Group :

**UN** Label :

**ADR/RID** : Class : Sub-Class :

**ADR/RID** : Hazard Identification :

Number

**IMDG** : Proper shipping name :

**IMDG** : Packing group :

**IMDG** : Class : Sub-Class :

**IATA** Proper shipping name :

**IATA** Packing group :

**IATA** Additional information : Sub-class :

## 15 Regulatory information

### EU Regulations

Hazard symbol(s)



Classification : Irritant

Risk Phrase : R22 - Harmful if swallowed.

Safety Phrases : S1/2 - Keep locked up and out of the reach of children.

S17 - Keep away from combustible material.

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28 - After contact with skin, wash immediately with plenty of water.

S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.

S45 - In case of accident or if you feel unwell, seek medical advice immediately ( show the label where possible).

Contains :

Product Use : Classification and labeling have been performed according to EU directives 67/548/EEC, including amendments and the intended use.  
Consumer applications.

## 16 Other information

## HISTORY

Date of printing : 21/02/2012  
Date of issue : 21/02/2012  
Date of previous issue : No previous Validation.  
Version : 2.01  
Prepared by :

## Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplies nor any of its subsidiaries assume any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

## **CHANGES SINCE PREVIOUS VERSION**

Version 2 : Exposure limit added.

Version	2.01
---------	------